


MOTORS

BLOWER WHEELS

SINGLE INLET WHEELS

PLASTIC SINGLE INLET WHEELS

LA21RA010	6.15	CW	10.75	.63
LA21RB012	6.15	CW	12.62	.75




- Room air conditioner

PART NO	LENGTH (in)	ROTATION FACING HUB	DIA(in)	HUB BORE (in)
LA21EB062	3.0	CCW	5.79	.50
51KM660002*	2.7	CW	6.0	.375
51KU122240	3.16	CW	6.31	.50
51KY160145	2.8	CCW	6.70	.50
LA21AA074	3.53	CCW	7.30	.50
LA21QB084	2.31	CCW	8.50	.50
LA21EB086	2.82	CCW	8.50	.50
LA21JB086	3.06	CCW	8.50	.50
LA21JB089	3.50	CCW	9.0	.50

*Includes 1/2" to 3/8" reducer bushing.

METAL SINGLE INLET WHEELS




- Room air conditioner

PART NO	LENGTH (in)	ROTATION FACING HUB	DIA(in)	HUB BORE (in)
58HH680006*	3.47	CCW	4.25	.50
LA11XA045	1.61	CW	4.5	.31
51NT05821006	2.6	CCW	6.3	.50
LA11RA076	3.33	CCW	7.16	.50
LA11RA075	3.41	CCW	7.67	.50
LA21AA066	2.86	CCW	8.0	.50
LA21AA068	3.22	CCW	8.0	.50
LA21AA067	3.6	CCW	8.0	.50
51PH123763	4.12	CCW	8.0	.50
LA21RA086	3.15	CCW	8.53	.50
LA21EB085	2.46	CCW	8.6	.50
LA21RA092	3.65	CCW	9.14	.50
LA21RB098	4.6	CW	9.90	.50
LA21AA100	5.05	CCW	10.0	.50
LA21EB104	4.58	CW	10.75	.50
LA21AA010	5.15	CW	10.75	.63

BLOWER WHEELS

DOUBLE INLET WHEELS

DOUBLE INLET, SINGLE HUB



NOTE: A single part number may be assigned to more than one manufacturer's blower wheel (i.e. Lau, Morrison, Torin, etc.). This means that the blowers have been judged to be "equal alternates." For simplicity this catalog lists only the "equal alternate" with the largest dimensions.

PART NO	LENGTH (in)	ROTATION FACING HUB	DIA(in)	HUB BORE (in)
50BQ680046	7.0	CW	4.75	.50
50BQ680047	7.0	CCW	4.75	.50
LA22AA036	5.81	CW	5.25	.50
LA22AA038	6.88	CW	5.25	.50
LA22AB038	6.88	CCW	5.25	.50
LA22RA570	6.37	CW	5.73	.375
LA22RB570	6.37	CCW	5.73	.375
LA22RA575	7.81	CW	5.73	.375
LA22RB575	7.81	CCW	5.73	.375
36T-25172	7.81	CW	5.73	.50
36T-25173	7.81	CCW	5.73	.50
LA22JA575	6.94	CW	5.75	.50
LA22JB575	6.94	CCW	5.75	.50
40CF680009	9.0	CW	6.25	.50
LA11AD058	1.5	CW	5.56	.31
LA22AD610†	7.62	CW	6.25	.50
LA22JA630	5.72	CW	6.31	.50
LA22JB630	5.72	CCW	6.31	.50
LA22680001	6.44	CW	6.31	.50
LA22680002	6.44	CCW	6.31	.50
LA22AC610	7.66	CCW	6.31	.50
LA22AD610	7.66	CW	6.31	.50
50BQ680049	8.25	CCW	6.31	.50
53SRA049317X01	9.45	CCW	6.31	.50
LA22RA007	5.5	CW	6.75	.50
LA22RB007	5.5	CCW	6.75	.50
LA22RA264	7.4	CCW	6.75	.50
LA22ZB047	4.16	CCW	7.12	.50
LA22ZA057	5.50	CW	7.12	.50
LA22ZB057	5.50	CCW	7.12	.50
LA22AC701	8.0	CCW	7.12	.50
LA680003	7.12	CW	8.00	.50
LA680016	7.12	CCW	8.00	.50
LA680017†	8.25	CCW	8.00	.50
LA22RB085	6.15	CCW	8.68	.50
LA680004†	8.00	CW	9.00	.50
LA22XD090	4.50	CW	9.50	.50
LA22XC093	8.16	CCW	9.50	.50
LA680005	4.50	CW	9.93	.50
LA680006	9.3	CW	9.93	.50
LA680007**	10.62	CW	9.93	.50
LA22XC090	4.50	CCW	9.93	.50
LA22LA026	6.0	CW	9.93	.50
LA22LA095	7.12	CW	9.93	.50
LA22XC091	7.12	CCW	9.93	.50


MOTORS

BLOWER WHEELS

DOUBLE INLET WHEELS

DOUBLE INLET, SINGLE HUB

DOUBLE INLET, DUAL HUBS



MOTORS

PART NO	LENGTH (in)	ROTATION FACING HUB	DIA(in)	HUB BORE (in)
LA22LD099	8.0	CW	9.93	.50
LA22RA100	7.18	CW	10.63	.50
LA22LD099	8.0	CW	9.93	.50
LA22XC099	9.50	CCW	9.93	.50
LA22XC059	6.12	CCW	10.62	.50
LA22RA100	7.18	CW	10.63	.50
LA22RA102	8.12	CW	10.63	.50
LA22XC103*	8.12	CCW	10.62	.50
LA22LA036	10.62	CW	11.12	.625
58GC051095	11.93	CW	10.87	.50
LA22XC040	4.50	CCW	11.12	.50
LA22LA104	4.50	CW	11.12	.50
LA22RA101	6.0	CW	11.12	.50
LA22XC060	6.0	CCW	11.12	.50
LA22LA016	10.62	CW	11.12	.50
LA22LA017**	6.0	CCW	11.12	.50
LA22LB112	7.12	CCW	11.12	.50
LA22XC100	8.0	CCW	11.12	.50
LA22LA015**	8.06	CCW	10.62	.50
LA22LA014	9.50	CW	11.12	.50
LA22XC102	9.50	CCW	11.12	.50
LA22AC010	9.50	CW	11.12	.75
LA22AC011	9.50	CCW	11.12	.75
LA22LA022	10.62	CW	11.12	.50
LA22LZ111**	10.62	CW	11.12	.50
LA22XC104	10.62	CCW	11.12	.50
LA22LZ112**	10.62	CCW	11.12	.50
LA22LA023	7.18	CW	11.87	.50
LA22RA103	10.75	CW	11.87	.50
LA22LA021	10.84	CW	11.87	.625
LA680009	8.34	CW	11.87	.50
LA22LA094	9.50	CW	12.25	.50
LA22LA037	10.62	CW	12.25	.625
LA680010	9.50	CW	13.18	.625
LA680011	9.5	CW	13.18	.62
LA22XD012	6.0	CW	13.19	.50
LA22XC120	8.0	CCW	13.19	.50
LA22RD012	8.0	CW	13.19	.50
LA22LB131	9.50	CCW	13.19	.625
LA22AC012	9.50	CW	13.19	.75
LA22LC113	11.12	CCW	13.19	.50
LA22LB131	9.5	CCW	13.19	.62
LA22LD132**	12.62	CW	13.19	.625

*Hub disc not centered.

**Hub disc concave, hub side.

PART NO	LENGTH (in)	DIA(in)	HUB BORE (in)
LA22LA115	9.50	9.94	.75
LA22LA082	7.12	9.94	1.187
LA22LA290	9.5	9.94	1.0
LA22LA130	6.00	11.12	.75
LA22LA088	8.00	11.12	.625
LA22LA128	10.62	11.12	1.187
LA22LA129	10.75	11.13	1.0
LA680018	8.0	11.12	.75
LA680019	8.0	11.12	1.00
LA22LA092	8.00	11.12	1.187
LA22LB106	9.50	11.12	.75
LA22LA111	10.62	11.12	.50
LA22LA117	10.62	11.12	.625
LA22LA118	10.62	11.12	.75
LA22LA300	10.62	11.12	1.0
LA680020	8.00	12.50	1.00
LA680022	11.12	13.19	.75
58GA051081	6.0	13.19	.75
LA22LA096	9.50	13.19	.750
LA22LA120	9.50	13.19	1.0
LA22LA105	9.50	13.19	1.187
LA22LA109	11.12	13.19	1.0
LA22LA110	12.62	13.19	.75
LA22LA124	12.62	13.19	1.0
LA22LA132	12.62	13.19	1.187
58GA051088*	15.0	13.19	.75
LA680025	15.0	13.19	1.0
LA22LA134	9.5	15.50	1.687
LA22LA140	11.12	15.50	1.187
LA22LA141	11.12	15.50	1.687
LA22LA123	15.00	15.50	.750
LA660001	15.00	15.50	1.187
LA680023	11.12	15.50	1.0
LA22LA126	15.00	15.50	1.437
LA22LA180	13.50	18.62	1.437
LA22LA186	15.00	18.62	1.437
LA22LA182	18.00	18.62	1.437
LA22LA190	18.00	18.62	1.687
LA680024	18.0	18.62	1.19
LA22LA255	10.37	21.25	1.687
LA22LA253	18.0	21.25	1.687
LA22LA229	22.37	23.25	1.687
LA22LA249	22.37	26.25	1.937
LA22LA276	22.37	28.75	1.937

*End supported mounting.


**Includes (2) 1-3/16" to 1.0" reducer bushing,
LA22LA131 blower.

MOTORS


BLOWER WHEELS

DOUBLE INLET WHEELS


BRACED, DOUBLE INLET, DUAL HUBS




PART NO	LENGTH (in)	DIA(in)	HUB BORE (in)
LA22LR133	11.125	13.187	1.187
LA22LR153	11.125	15.5	1.187
LA22LR154	15.0	15.5	1.187
LA22LR200	13.5	20.5	1.438
LA22LR201	15.375	21.25	1.438
LA22LR203	18.0	21.25	1.438
LA22LR205	15.0	20.5	1.438
LA22LR219	18.0	20.5	1.438
LA22LR232	22.375	23.25	1.938
LA22LR251	25.375	26.25	1.938
LA22LR261	20.375	26.25	1.938
LA22LA275	27.875	28.75	1.938
LA22LR305	27.875	31.25	2.188
LA22LA360	30.37	37.25	2.187



PART NO	LENGTH (in)	DIA(in)	HUB BORE (in)
LA22LA310	10.62	11.12	3
LA22LA312	12.62	13.19	3
LA22LA315	15.00	15.50	4
LA22LA215	15.25	15.50	3
LA22LA218	18.00	18.62	4
LA22LA317	18.37	18.00	3




PART NO	LENGTH (in)	DIA(in)	HUB BORE (in)
LA22LA454	12.62	13.18	3.0
LA22LA455	15.00	15.50	4.0
LA22LA458	15.00	15.50	4.5
LA22LA328	18.00	18.62	4.5
LA22LA651	20.38	21.25	5.0
LA22LA653	22.38	23.25	5.0
LA22LA626	25.38	26.25	4.5
LA22LA656	25.38	26.25	5.0
LA22LA629	27.88	28.75	4.5
LA22LA659	27.88	28.75	5.0
LA22LA632	27.88	31.25	4.5
LA22LA661	27.88	31.25	5.0
LA22LA460	18.00	18.62	4.5
LA22LA540	22.37	23.25	4.5



PART NO	LENGTH (in)	ROTATION FACING HUB	DIA(in)	HUB BORE (in)
LA21RB327	1.25	CW	3.81	.25
LA680001	1.91	CW	3.81	.19
LA680002	2.03	CW	3.81	.25
LA680012	2.5	CCW	3.81	.31
LA680013	2.03	CCW	3.81	.25
LA21ZA038	1.09	CCW	3.82	.25
LA11RA039	1.53	CCW	3.84	.25
LA11AA004	1.625	CW	4.00	.312
LA21AB400	2.50	CW	4.00	.25
LA21RA425	2.91	CW	4.25	.25
LA680014	3.5	CCW	4.25	.50
48MA660011	2.62	CCW	4.50	.375
LA21RA475	2.9	CW	4.75	.25
LA580015	3.44	CCW	5.25	.31
LA11ZD058	1.70	CCW	5.60	.312
58HH680037	3.81	CCW	6.18	.50
58HH680036	3.81	CCW	6.21	.50
58HH680035	4.00	CCW	6.25	.50

STEEL SHAFT BUSHINGS



PART NO	ID	OD	LENGTH
P251-0062	5/16	3/8	1-1/64
P251-0063	5/16	1/2	1-1/8
P251-0064	3/8	1/2	1-1/8
P251-0076	1/2	5/8	1-1/8
P251-0065	1/2	3/4	1-1/4
P251-0066	5/8	3/4	1-1/4
P251-0067	5/8	1	1-1/4
P251-0068	3/4	1	1-1/4
P251-0069	1	1-3/16	1-1/4

INDUCED DRAFT, COMBUSTION AIR