

# EVERPURE®

Water Filtration Products



# Beverages Taste Best with Everpure® Filtration

Quality food service products start with the best quality water, which ensure energy efficiency and maximum equipment life. Everpure® products provide proven technology to provide you with premier water for all of your food service needs: drinking water, ice, fountain beverages, coffee and steam.



Drinking Water



Ice



Boiler Steam




Coffee



Espresso



Iced Tea



Fountain Beverages

## What's Your Filter Size?

Pentair® Everpure® replacement filter cartridges are manufactured in five different height configurations. Each cartridge has a size designation of:


2-size = 10.25" tall

4-size = 14.50" tall

6-size = 17" tall

7-size = 20.75" tall

X-size = 25" tall



## Water Testing & Analysis

It's smart to know what's in the water. Everpure's Standard Foodservice Analysis offers everything you need to grow your water filter sales using testing information. The program includes:

- An easy-to-use water test kit
- A custom water analysis to help foodservice operators better understand their water quality
- A tailored product recommendation—the right solution to ensure the operator has premium water to serve and equipment that operates in peak condition.

### Standard Foodservice Analysis 7013-73

*Includes water bottle and lab analysis of 30 contaminants and characteristics*

## Manifold/System Heads



	QL3B Single	QC7I Single	QC7I Twin Parallel	QC7I Triple Parallel	QC7I Quad Parallel
Connection	3/8" NPT	3/8" NPT	3/4" NPT	3/4" NPT	3/4" NPT
Max Flow Rate	1.67 gpm	1.67 gpm	3.34 gpm	5 gpm	6.67 gpm
Shut-off Valve	•	•	•	•	•
Mounting Bracket	•	•	•	•	•
Flushing Valve		•	•	•	•
Pressure Gauge(s)		•	•	•	•
Part Number	4621-07 (9259-24)	4621-01 (9272-41)	4621-02 (9272-22)	4621-03 (9272-23)	4621-04 (9336-11)

# Ice Machine Filters



	nu-i2000 <sup>2</sup>	nu-i4000 <sup>2</sup>	4FC-S	7FC-S	4CB5-S	nu-7CB5-S
Capacity (Gallons):	9,000	12,000	15,000	25,000	6,000	10,000
Micron Rating:	1/2	1/2	1/2	1/2	5	5
Chlorine Reduction	•	•	•	•	•	•
Taste & Odor Reduction	•	•	•	•	•	•
Particulate Reduction	•	•	•	•	•	•
Cyst Reduction	•	•	•	•		
Scale Inhibition	•	•	•	•	•	•
NSF Std 42 & 53	•	•	•	•	Std 42 only	Std 42 only
Filter Size/Height	7-size/20.75" tall	X-size/25" tall	4-size/14.50" tall	7-size/20.75" tall	4-size/14.50" tall	7-size/20.75" tall
Part Number	4621-10 (9612-27)	4621-11 (9612-37)	9692-31	9692-71	4621-31 (9617-26)	4621-30 (9618-26)

# Carbonless Ice Machine Filters



Everpure® 4SI and 7SI carbonless water filters help protect patients, guests and staff at hotels and medical facilities from waterborne bacteria that causes Legionnaires' Disease. This cost-efficient filtration system keeps ice machines in compliance with **ASHRAE Standard 188** and helps provide critical protection from protozoan cysts and scale damage.

- Allows chlorine to pass through, which can help reduce slime and bacteria growth inside the ice machine and ice bin
- Reduces harmful cysts by mechanical means
- Ideal for food service applications where baking of breads and pastries is done on-site

	4SI	7SI
Capacity (Gallons):	15,000	25,000
Micron Rating:	1/2	1/2
Chlorine Reduction		
Taste & Odor Reduction		
Particulate Reduction	•	•
Cyst Reduction	•	•
Scale Inhibition	•	•
NSF Std 42 & 53	•	•
Filter Size/Height	4-size/14.50" tall	7-size/20.75" tall
Part Number	9606-51	9606-01

# Fountain Beverage Filters



	<b>nu-MC<sup>2</sup></b>	<b>nu-XC<sup>2</sup></b>	<b>4FC</b>	<b>7FC</b>	<b>4CB5</b>	<b>7CB5</b>
Capacity (Gallons):	9,000	12,000	15,000	25,000	6,000	10,000
Micron Rating:	1/2	1/2	1/2	1/2	5	5
Chlorine Reduction	•	•	•	•	•	•
Taste & Odor Reduction	•	•	•	•	•	•
Particulate Reduction	•	•	•	•	•	•
Cyst Reduction	•	•	•	•		
Scale Inhibition						
NSF Std 42 & 53	•	•	•	•	Std 42 only	Std 42 only
Filter Size/Height	7-size/20.75" tall	X-size/25" tall	4-size/14.50" tall	7-size/20.75" tall	4-size/14.50" tall	7-size/20.75" tall
Part Number	4621-20 (9612-55)	4621-21 (9613-97)	9692-21	9692-61	4621-32 (9617-16)	9618-16

# Coffee/Esspresso/Iced Tea Filters



	<b>BH<sup>2</sup></b>	<b>OCS<sup>2</sup></b>	<b>MH<sup>2</sup></b>	<b>2FC-S</b>	<b>ESO<sup>6</sup></b>	<b>ESO<sup>7</sup></b>
Capacity (Gallons):	3,000	1,500	9,000	6,000	4,100*	5,300*
Micron Rating:	1/2	1/2	1/2	1/2	N/A	N/A
Chlorine Reduction	•	•	•	•	•	•
Taste & Odor Reduction	•	•	•	•	•	•
Particulate Reduction	•	•	•	•	•	•
Cyst Reduction	•	•	•	•		
Scale Inhibition	•	•	•	•	Reduction	Reduction
NSF Std 42 & 53	•	•	•	Std 42 only		
Filter Size/Height	4-size/14.50" tall	2-size/10.25" tall	7-size/20.75" tall	2-size/10.25" tall	15" tall	18.75" tall
Part Number	4621-12 (9612-51)	9618-07	9613-21	9691-76	9607-10	9607-25

\*Grains Reduction

# Drinking Water Filters



Ideal for Lead Reduction



	<b>OW200L</b>	<b>OW2-Plus</b>	<b>OW4-Plus</b>	<b>2H-L</b>	<b>4H-L</b>
Capacity (Gallons):	480	1,000	2,000	750	1,000
Micron Rating:	1/2	1/2	1/2	1/2	1/2
Chlorine Reduction	•	•	•	•	•
Taste & Odor Reduction	•	•	•	•	•
Particulate Reduction	•	•	•	•	•
Cyst Reduction	•	•	•	•	•
Scale Inhibition	•	•	•	•	•
NSF Std 42 & 53	Std 42 only	Std 42 only	Std 42 only	•	•
Filter Size/Height	6-size/17" tall	2-size/10.25" tall	4-size/14.50" tall	2-size/10.25" tall	4-size/14.50" tall
Part Number	<b>9619-06</b>	<b>9634-06</b>	<b>9635-06</b>	<b>9634-26</b>	<b>9635-26</b>

## Manifold Systems



### Included in Systems:

- Prefilter housing and bracket
- Shut-off valve
- Mounting bracket
- Inlet/outlet connection: 3/4" NPT
- Flushing valve
- Pressure gauge(s)
- Pack size: 1

### Coldrink®/Insurice® Manifolds with Prefilters

	<b>Single</b>	<b>Twin</b>	<b>Triple</b>	<b>Quad</b>
10" Part Number	9293-01	9293-02	9293-03	9293-04
20" Part Number	9293-21	9293-22	9293-23	9293-24

### High Flow CSR Manifolds

	<b>Single</b>	<b>Twin</b>	<b>Triple</b>	<b>Quad</b>
10" Part Number	—	9294-02	9294-03	9294-04
20" Part Number	—	9294-22	9294-23	9294-24

## Phosphate Feeder



### SRX Scale Inhibitor Feeder

A complete system for the control of scale in ice, coffee, steam, and combination applications. The system includes a black housing and one cartridge.

Part Number	4621-05 (9798-45)
-------------	-------------------

Optional: Post-filter bracket kit for all multiple filter head systems manufactured after 2003: 4621-06 (3114-35)



SRX scale inhibition feeder replacement cartridges.

IMF-7 Part Number	4621-13 (9799-32)
-------------------	-------------------

(Replacement cartridge for AR-X 7" housing)

IMF-10 Part Number	4621-14 (9799-02)
--------------------	-------------------

(Replacement for SS-10 scale sticks)

## Prefilters



### Coarse Prefilter Systems

A 10" and 20" housing, each including replaceable prefilter cartridges. Filters out larger dirt and rust particles thereby extending the life of submicron filters.

E-10 (10") Part Number	4621-42 (9795-80)
------------------------	-------------------

E-20 (20") Part Number	4621-44 (9795-90)
------------------------	-------------------

Optional: Pre-filter bracket kit for all multiple filter head systems manufactured after 2003: 4621-45 (3114-34)



10" and 20", 10 micron nominal filtration replacement cartridges.

EC110 (10") Part Number	4621-41 (9534-40)
-------------------------	-------------------

EC210 (20") Part Number	4621-43 (9534-20)
-------------------------	-------------------

## Deliming/Sanitizing



### 4JT Flushing/Sanitizing Cartridge

The preferred way to introduce ScaleKleen™ Scale Remover or other sanitizing agents, such as bleach, into water-using equipment and vending machines.

Cartridge	4621-00 (9608-00)
-----------	-------------------



### ScaleKleen™ Scale Remover

7 oz. packets (24/case)	4621-17 (9798-33)
-------------------------	-------------------

2.2 lb. canister (4/case)	9798-35
---------------------------	---------

## Warewashing



### Kleenware HTS-11 Scale Control System

Scale control for hot temperature applications such as warewashing and booster heaters. Inhibits limescale buildup and reduces corrosion. Features metering flow through head, high temperature housing and transparent HT-10 cartridge. Maximum feeder inlet temperature: 170.0°F/76.7°C

Kleenware HTS-11	9799-11
------------------	---------

HT-10 Replacement cartridge	9799-22
-----------------------------	---------

## Steam Filtration Systems

## Cuno® Replacements by Everpure®



### Kleensteam Systems

Simple to install, operate, and maintain. Filters water to improve performance and maximize efficiency and equipment life. Inhibits scale and reduces chlorine-induced corrosion.

	CT (Counter Top)	II Single (Boiler Based)	II Twin (Boiler Based)
Flow Rate	1.5 gpm	2.5 gpm	5.0 gpm
Capacity	6,000 gal.	10,000 gal.	20,000 gal.
Part Number	9797-50	9797-21	9797-22



	CU/EFS 8002	CU-S/EFS 8002-S
Capacity (Gallons):	10,000	10,000
Micron Rating:	5	5
Chlorine Reduction	•	•
Taste & Odor Reduction	•	•
Particulate Reduction	•	•
Scale Inhibition		•
Part Number	4622-20 (9781-10)	4622-10 (9781-12)

CUNO® is a trademark of 3M. This product is not manufactured, sponsored or affiliated with 3M.

# Complete Information Guide for Food Service Applications

Cartridge <b>Nu-Calgon #</b>	Capacity (gallons)	Micron Rating	Chlorine Reduction	T&O Reduction	Particulate Reduction	Cyst Reduction	Scale Inhibition	NSF Std 42	NSF Std 53	Bacteriostat (NSF Certified)	Size
nu-i2000 <sup>2</sup> <b>4621-10 (9612-27)</b>	9,000	1/2	•	•	•	•	•	•	•	•	7
nu-i4000 <sup>2</sup> <b>4621-11 (9612-37)</b>	12,000	1/2	•	•	•	•	•	•	•	•	X
4FC-S <b>9692-31</b>	15,000	1/2	•	•	•	•	•	•	•	•	4
7FC-S <b>9692-71</b>	25,000	1/2	•	•	•	•	•	•	•	•	7
4CB5-S <b>4621-31 (9617-26)</b>	6,000	5	•	•	•		•	•		•	4
nu-7CB5-S <b>4621-30 (9618-26)</b>	10,000	5	•	•	•		•	•		•	7
4SI <b>9606-51</b>	15,000	1/2			•	•	•	•	•	•	4
7SI <b>9606-01</b>	25,000	1/2			•	•	•	•	•	•	7
nu-MC <sup>2</sup> <b>4621-20 (9612-55)</b>	9,000	1/2	•	•	•	•		•	•	•	7
nu-XC <sup>2</sup> <b>4621-21 (9613-97)</b>	12,000	1/2	•	•	•	•		•	•	•	X
4FC <b>9692-21</b>	15,000	1/2	•	•	•	•		•	•	•	4
7FC <b>9692-61</b>	25,000	1/2	•	•	•	•		•	•	•	7
4CB5 <b>4621-32 (9617-16)</b>	6,000	5	•	•	•			•		•	4
7CB5 <b>9618-16</b>	10,000	5	•	•	•			•		•	7
BH <sup>2</sup> <b>4621-12 (9612-51)</b>	3,000	1/2	•	•	•	•	•	•	•	•	4
OCS <sup>2</sup> <b>9618-07</b>	1,500	1/2	•	•	•	•	•	•	•	•	2
MH <sup>2</sup> <b>9613-21</b>	9,000	1/2	•	•	•	•	•	•	•	•	7
2FC-S <b>9691-76</b>	6,000	1/2	•	•	•	•	•	•		•	2
ESO <sup>6</sup> <b>9607-10</b>	4,100*	N/A	•	•	•		Reduction			•	15"
ESO <sup>7</sup> <b>9607-25</b>	5,300*	N/A	•	•	•		Reduction			•	18.75"
OW200L <b>9619-06</b>	480	1/2	•	•	•	•	•	•		•	6
OW2-Plus <b>9634-06</b>	1,000	1/2	•	•	•	•	•	•		•	2
OW4-Plus <b>9635-06</b>	2,000	1/2	•	•	•	•	•	•		•	4
2H-L <b>9634-26</b>	750	1/2	•	•	•	•	•	•	•	•	2
4H-L <b>9635-26</b>	1,000	1/2	•	•	•	•	•	•	•	•	4
CU <b>4622-20 (9781-10)</b>	10,000	5	•	•	•						15"
CU-S <b>4622-10 (9781-12)</b>	10,000	5	•	•	•		•				15"



Call Nu-Calgon for all of  
your Everpure needs.  
800-554-5499